Department of Veterans Affairs

§4.115b

	ing		Rat- ing
Renal dysfunction:	9	Long-term drug therapy, 1-2 hospitalizations per year and/or requiring intermittent intensive	9
Requiring regular dialysis, or precluding more than sedentary activity from one of the fol- lowing: persistent edema and albuminuria; or,		management	10
BUN more than 80mg%; or, creatinine more than 8mg%; or, markedly decreased function of kidney or other organ systems, estpecially		[59 FR 2527, Jan. 18, 1994; 59 FR 10676, M 1994]	Iar. 7,
cardiovascular Persistent edema and albuminuria with BUN 40	100	§4.115b Ratings of the genitouri	inary
to 80mg%; or, creatinine 4 to 8mg%; or, gen- eralized poor health characterized by lethargy, weakness, anorexia, weight loss, or limitation		system—diagnoses.	
of exertion	80		Rat- ing
tension at least 40 percent disabling under diagnostic code 7101	60	Note: When evaluating any claim involving loss or loss	
Albumin constant or recurring with hyaline and granular casts or red blood cells; or, transient or slight edema or hypertension at least 10		of use of one or more creative organs, refer to § 3.350	
percent disabling under diagnostic code 7101 Albumin and casts with history of acute nephritis; or, hypertension non-compensable under diag-	30	of this chapter to determine whether the veteran may be entitled to special monthly	
nostic code 7101Voiding dysfunction:	0	compensation. Footnotes in the schedule indicate condi-	
Rate particular condition as urine leakage, fre- quency, or obstructed voiding Continual Urine Leakage, Post Surgical Urinary		tions which potentially estab- lish entitlement to special monthly compensation; how-	
Diversion, Urinary Incontinence, or Stress Incontinence:		ever, there are other condi- tions in this section which	
Requiring the use of an appliance or the wearing of absorbent materials which must be changed more than 4 times per day	60	under certain circumstances also establish entitlement to	
Requiring the wearing of absorbent materials which must be changed 2 to 4 times per day Requiring the wearing of absorbent materials	40	special monthly compensa- tion.	
which must be changed less than 2 times per day	20	7500 Kidney, removal of one: Minimum evaluation Or rate as renal dysfunction if	30
Urinary frequency: Daytime voiding interval less than one hour, or; awakening to void five or more times per night	40	there is nephritis, infection, or pathology of the other.	
Daytime voiding interval between one and two hours, or; awakening to void three to four times per night	20	7501 Kidney, abscess of: Rate as urinary tract infection	
Daytime voiding interval between two and three hours, or; awakening to void two times per			
night	10		
uous catheterization	30		
slow or weak stream, decreased force of stream) with any one or combination of the fol- lowing:			
 Post void residuals greater than 150 cc. Uroflowmetry; markedly diminished peak flow rate (less than 10 cc/sec). 			
Recurrent urinary tract infections sec- ondary to obstruction.			
Stricture disease requiring periodic dilatation every 2 to 3 months Obstructive symptomatology with or without stric-	10		
ture disease requiring dilatation 1 to 2 times per year	0		
Urninary tract infection: Poor renal function: Rate as renal dysfunction. Recurrent symptomatic infection requiring drain-			
age/frequent hospitalization (greater than two times/year), and/or requiring continuous inten-			

§4.115b

		Rat- ing		Rat- ing
7502	Nephritis, chronic: Rate as renal dysfunction.		7512 Cystitis, chronic, includes interstitial and all etiologies, infectious and non-in-	
7504	Pyelonephritis, chronic:		fectious:	
	Rate as renal dysfunction or		Rate as voiding dysfunction.	
	urinary tract infection, which-		7515 Bladder, calculus in, with symptoms	
	ever is predominant.		interfering with function:	
7505	Kidney, tuberculosis of:		Rate as voiding dysfunction	
	Rate in accordance with		7516 Bladder, fistula of:	
	§§ 4.88b or 4.89, whichever		Rate as voiding dysfunction or	
7507	is appropriate.		urinary tract infection, which-	
7507	Nephrosclerosis, arteriolar:		ever is predominant. Postoperative, suprapubic	
	Rate according to predominant		Postoperative, suprapubic cystotomy	100
	symptoms as renal dysfunc- tion, hypertension or heart		7517 Bladder, injury of:	100
	disease. If rated under the		Rate as voiding dysfunction.	
	cardiovascular schedule,		7518 Urethra, stricture of:	
	however, the percentage rat-		Rate as voiding dysfunction.	
	ing which would otherwise		7519 Urethra, fistual of:	
	be assigned will be elevated		Rate as voiding dysfunction.	
7500	to the next higher evaluation.		Multiple urethroperineal fistulae	100
7508	Nephrolithiasis:		7520 Penis, removal of half or more	30
	Rate as hydronephrosis, ex-		Or rate as voiding dysfunction.	
	cept for recurrent stone for- mation requiring one or more		7521 Penis removal of glans	20
	of the following:		Or rate as voiding dysfunction.	
	1. diet therapy		7522 Penis, deformity, with loss of erectile	
	2. drug therapy		power—201.	
	3. invasive or non-invasive		7523 Testis, atrophy complete:. Both—20 ¹	
	procedures more than		One—0 ¹	
	two times/year	30	7524 Testis, removal:	
7509	Hydronephrosis:		Both—30 ¹	
	Severe; Rate as renal dysfunc-		One—0 1	
	tion.		Note: In cases of the removal	
	Frequent attacks of colic with infection (pyonephrosis), kidney func-		Note: In cases of the removal of one testis as the result of	
	tion impaired	30	a service-incurred injury or	
	Frequent attacks of colic, requiring		disease, other than an	
	catheter drainage	20	undescended or congenitally	
	Only an occasional attack of colic,		undeveloped testis, with the	
	not infected and not requiring		absence or nonfunctioning of	
	catheter drainage	10	the other testis unrelated to	
7510	Ureterolithiasis:		service, an evaluation of 30 percent will be assigned for	
	Rate as hydronephrosis, ex- cept for recurrent stone for-		the service-connected testic-	
	mation requiring one or more		ular loss. Testis,	
	of the following:		underscended, or congeni-	
	1. diet therapy		tally undeveloped is not a	
	2. drug therapy		ratable disability.	
	3. invasive or non-invasive		7525 Epididymo-orchitis, chronic only:	
	procedures more than		Rate as urinary tract infection.	
	two times/year	30	For tubercular infections: Rate	
7511	Ureter, stricture of:		in accordance with §§ 4.88b	
	Rate as hydronephrosis, ex-		or 4.89, whichever is appro-	
	cept for recurrent stone for- mation requiring one or more		priate. 7527 Prostate gland injuries, infections, hy-	
	of the following:		pertrophy, postoperative residuals:	
	1. diet therapy		Rate as voiding dysfunction or	
	2. drug therapy		urinary tract infection, which-	
	3. invasive or non-invasive		ever is predominant.	
	procedures more than		7528 Malignant neoplasms of the genito-	
	two times/year	30	urinary system	100

Department of Veterans Affairs

this chapter.

7532 Renal tubular disorders (such as renal glycosurias, aminoacidurias, renal tubular acidosis, Fanconi's syndrome, Bartter's syndrome, related disorders of Henle's loop and proximal or distal

Minimum rating for symptomatic condition

nephron function, etc.):

§4.115b

Department of Vereigns Aligns		34.1100	
	Rat- ing		Rat- ing
Note—Following the cessation of surgical, X-ray, antineoplastic chemotherapy or other therapeutic procedure, the rating of 100 percent shall continue with a mandatory VA examination at the expiration of six months. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of § 3.105(e) of this chapter. If there has been no local reoccurrence or metastasis, rate on residuals as voiding dysfunction or renal dysfunction, whichever is predominant. 7529 Benign neoplasms of the genitourinary system: Rate as voiding dysfunction or renal dysfunction, whichever is predominant. 7530 Chronic renal disease requiring regular dialysis: Rate as renal dysfunction. 7531 Kidney transplant: Following transplant surgery Thereafter: Rate on residuals as renal dysfunction, minimum rating	100	Or rate as renal dysfunction. 7533 Cystic diseases of the kidneys (polycystic disease, uremic medullary cystic disease, Medullary sponge kidney, and similar conditions): Rate as renal dysfunction. 7534 Atherosclerotic renal disease (renal artery stenosis or atheroembolic renal disease): Rate as renal dysfunction. 7535 Toxic nephropathy (antibotics, radiocontrast agents, nonsteroidal anti-inflammatory agents, heavy metals, and similar agents): Rate as renal dysfunction. 7536 Glomerulonephritis: Rate as renal dysfunction. 7537 Interstitial nephritis: Rate as renal dysfunction. 7538 Papillary necrosis: Rate as renal dysfunction. 7539 Renal amyloid disease: Rate as renal dysfunction. 7540 Disseminated intravascular coagulation with renal cortical necrosis: Rate as renal dysfunction. 7541 Renal involvement in diabetes mellitus, sickle cell anemia, systemic lupus erythematosus, vasculitis, or other systemic disease processes. Rate as renal dysfunction. 7542 Neurogenic bladder: Rate as voiding dysfunction. 1 Review for entitlement to special monthly pensation under § 3.350 of this chapter. [59 FR 2527, Jan. 18, 1994; 59 FR 14567, Ma 1994, as amended at 59 FR 46339, Sept. 8,	ır. 29,

§4.116

GYNECOLOGICAL CONDITIONS AND DISORDERS OF THE BREAST

§4.116 Schedule of ratings—gynecological conditions and disorders of the breast.

		Rating
7010	Note 1: Natural menopause, primary amenorrhea, and pregnancy and child-birth are not disabilities for rating purposes. Chronic residuals of medical or surgical complications of pregnancy may be disabilities for rating purposes. Note 2: When evaluating any claim involving loss or loss of use of one or more creative organs or anatomical loss of one or both breasts, refer to §3.350 of this chapter to determine whether the veteran may be entitled to special monthly compensation. Footnotes in the schedule indicate conditions which potentially establish entitlement to special monthly compensation; however, almost any condition in this section might, under certain circumstances, establish entitlement to special monthly compensation.	
7610 vulv	Vulva, disease or injury of (including ovaginitis).	
7611	Vagina, disease or injury of.	
7612 7613	Cervix, disease or injury of. Uterus, disease, injury, or adhesions of.	
7614	Fallopian tube, disease, injury, or adhesions	
of (i 7615	ncluding pelvic inflammatory disease (PID)). Ovary, disease, injury, or adhesions of.	
	al Rating Formula for Disease, Injury, or Ad-	
hesi	ions of Female Reproductive Organs (diag-	
nost	tic codes 7610 through 7615): Symptoms not controlled by continuous	
	treatment	30
	Symptoms that require continuous treat-	
	Symptoms that do not require continuous	10
	treatment	0
	Uterus and both ovaries, removal of, com-	
plete	e: For three months after removal	1100
	Thereafter	150
7618	Uterus, removal of, including corpus:	
	For three months after removal	1100
7619	Thereafter Ovary, removal of:	1 30
	For three months after removal	1100
	Thereafter:	4.00
	Complete removal of both ovaries Removal of one with or without	1 30
	partial removal of the other	10
7620	Ovaries, atrophy of both, complete	1 20
7621	Uterus, prolapse:	
	Complete, through vagina and introitus Incomplete	50 30
7622	Uterus, displacement of:	-
	With marked displacement and frequent or	
	continuous menstrual disturbances With adhesions and irregular menstruation	30 10
7623	Pregnancy, surgical complications of:	10
	With rectocele or cystocele	50
7624	With relaxation of perineum	10
1024	Fistula, rectovaginal: Vaginal fecal leakage at least once a day	
	requiring wearing of pad	100
	Vaginal fecal leakage four or more times	
	per week, but less than daily, requiring	
	wearing of pad	60

		Rating
	Vaginal fecal leakage one to three times per week requiring wearing of pad	30
	Vaginal fecal leakage less than once a	
	weekWithout leakage	10
7625	Fistula, urethrovaginal:	,
	Multiple urethrovaginal fistulae	10
	Requiring the use of an appliance or the wearing of absorbent materials which	
	must be changed more than four times per day	6
	Requiring the wearing of absorbent materials which must be changed two to four	Ü
	times per day	4
	Requiring the wearing of absorbent mate-	
	rials which must be changed less than two times per day	2
7626	Breast, surgery of:	2
. 020	Following radical mastectomy:	
	Both	18
	One	15
	Following modified radical mastectomy:	
	Both One	16 14
	Following simple mastectomy or wide local excision with significant alteration of size or form:	4
	Both	15
	One	13
	Following wide local excision without sig- nificant alteration of size or form:	
	Both or one	
	Note: For VA purposes: (1) Radical mastectomy means	
	removal of the entire breast, un-	
	derlying pectoral muscles, and regional lymph nodes up to the	
	coracoclavicular ligament (2) Modified radical mastectomy	
	means removal of the entire	
	breast and axillary lymph nodes	
	(in continuity with the breast). Pectoral muscles are left intact	
	(3) Simple (or total) mastectomy	
	means removal of all of the	
	breast tissue, nipple, and a small portion of the overlying	
	skin, but lymph nodes and mus-	
	cles are left intact	
	(4) Wide local excision (including	
	partial mastectomy, lumpectomy, tylectomy,	
	segmentectomy, and	
	quadrantectomy) means re- moval of a portion of the breast	
7627	tissue	
		10